

Post-Operative Instructions for Extractions:

- 1. Pressure should be placed on the gauze pad that has been put over the extraction site for one hour. If the bleeding continues new gauze should be placed and pressure applied for another 45 minutes.
- 2. If you are supervising children who have had an extraction done, make sure they don't bite on their numb lips or tongue (it can cause serious injury to their soft tissue).
- 3. Avoid eating or drinking anything hot on the day of your extraction. Also, do not rinse your mouth and do not use a straw for drinking. Do not spit and do not drink carbonated beverages. Do not brush on the day of the surgery; you can gently resume your brushing and flossing the day after.
- 4. You may experience some pain, bruising around your lips, and/or some swelling, especially after extraction of impacted wisdom teeth. Ice bag application and medication prescribed for you will help to minimize your discomfort.
- 5. Please take all the medication you have received based on the provided instructions.
- 6. During the first 2-3 days after surgery a diet of soft food and liquids is recommended (soup, yogurt, milkshakes and juice).
- 7. For more complex surgical procedures, including Impacted Wisdom Tooth Extraction, Implant Surgical Procedures, etc: You will receive an ice wrap which should be worn for the rest of the day until you go to bed on the day of surgery (10 minutes on and 5 minutes off). Instructions for various surgical treatments will have some unique directions, which will be supplied to you at the time of your treatment.
- 8. Call our office if you experience excessive bleeding, severe pain or swelling, or if you have any questions or concerns. In case of serious emergencies call 911.